



SAFETY DATA SHEET
5 L CATERERS KITCHEN LEMON FLOOR GEL
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 5 L CATERERS KITCHEN LEMON FLOOR GEL
Product number 800-262-5014
Container size 5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier COVENTRY CHEMICALS LTD
 WOODHAMS RD
 SISKIN DRIVE
 COVENTRY
 CV3 4FX
 Tel: +44 (0) 02476639739
 Fax: +44 (0) 02476639717
 Email: sales@coventrychemicals.com

Contact person For content of safety data sheet, sds@coventrychemicals.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC) NC

2.2. Label elements

5 L CATERERS KITCHEN LEMON FLOOR GEL

Pictogram



Signal word

Warning

Hazard statements

H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P102 Keep out of reach of children.
P501 Dispose of contents/ container in accordance with local regulations.
P280 Wear protective gloves.
P264 Wash contaminated skin thoroughly after handling.

Contains

C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE, AMINES, C12-14 - ALKYLDIMETHYL, N-OXIDES

Detergent labelling

5 - < 15% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES 5-10%		
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R38,R41.	
Eye Dam. 1 - H318		
Aquatic Chronic 3 - H412		
AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES <1%		
CAS number: 308062-28-4	EC number: 931-292-6	REACH registration number: 01-2119490061-47-XXXX
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R22. Xi;R38,R41. N;R50.	
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

5 L CATERERS KITCHEN LEMON FLOOR GEL

BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX
M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	Provide eyewash station.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

5.3. Advice for firefighters

5 L CATERERS KITCHEN LEMON FLOOR GEL

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL

Workers - Inhalation; Long term systemic effects: 175 mg/m³
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 52 mg/m³
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

5 L CATERERS KITCHEN LEMON FLOOR GEL

- PNEC**
- Fresh water; 0.24 mg/l
 - Marine water; 0.024 mg/l
 - Intermittent release; 0.071 mg/l
 - Sediment, Fresh water; 0.917 mg/kg
 - Sediment, Marine water; 0.092 mg/kg
 - Soil; 7.5 mg/kg
 - STP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 73.4 mg/m³
 - Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
 - Workers - Dermal; Long term local effects: 0.0936 mg/cm²
 - General population - Inhalation; Long term systemic effects: 21.73 mg/m³
 - General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
 - General population - Dermal; Long term local effects: 0.0562 mg/cm²
 - General population - Oral; Long term systemic effects: 6.25 mg/kg/day

- PNEC**
- Fresh water; 0.007 mg/l
 - Marine water; 0.001 mg/l
 - STP; 830 mg/l
 - Sediment (Freshwater); 0.195 mg/kg
 - Sediment (Marinewater); 0.019 mg/kg
 - Soil; 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

- DNEL**
- Workers - Inhalation; Long term systemic effects: 6.2 mg/m³
 - Workers - Dermal; Long term systemic effects: 11 mg/kg/day
 - General population - Inhalation; Long term systemic effects: 1.53 mg/m³
 - General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
 - General population - Oral; Long term systemic effects: 0.44 mg/kg/day

- PNEC**
- Fresh water; 0.034 mg/l
 - Marine water; 0.003 mg/l
 - STP; 24 mg/l
 - Sediment (Freshwater); 5.24 mg/kg
 - Sediment (Marinewater); 0.524 mg/kg
 - Soil; 1.02 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

- DNEL**
- Workers - Inhalation; Long term local effects: 1 mg/m³
 - Workers - Dermal; Long term systemic effects: 0.13 mg/cm²
 - General population - Inhalation; Long term local effects: 0.25 mg/m³
 - General population - Dermal; Long term systemic effects: 0.07 mg/kg/day
 - General population - Oral; Long term systemic effects: 0.06 mg/kg/day

- PNEC**
- Fresh water; 0.02 mg/l
 - Marine water; 0.002 mg/l
 - STP; 100 mg/l
 - Sediment (Freshwater); 0.092 mg/kg
 - Sediment (Marinewater); 0.009 mg/kg
 - Soil; 0.007 mg/kg

BRONOPOL (INN) (CAS: 52-51-7)

5 L CATERERS KITCHEN LEMON FLOOR GEL

DNEL

Workers - Inhalation; Long term systemic effects: 4.1 mg/m³
 Workers - Inhalation; Short term systemic effects: 12.3 mg/m³
 Workers - Inhalation; Long term local effects: 4.2 mg/m³
 Workers - Inhalation; Short term local effects: 4.2 mg/m³
 Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
 Workers - Dermal; Short term systemic effects: 7 mg/kg/day
 Workers - Dermal; Long term local effects: 0.013 mg/cm²
 Workers - Dermal; Short term local effects: 0.013 mg/cm²
 General population - Inhalation; Long term systemic effects: 1.2 mg/m³
 General population - Inhalation; Short term systemic effects: 3.7 mg/m³
 General population - Inhalation; Long term local effects: 1.3 mg/m³
 General population - Inhalation; Short term local effects: 1.3 mg/m³
 General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
 General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
 General population - Dermal; Long term local effects: 0.008 mg/cm²
 General population - Dermal; Short term local effects: 0.008 mg/cm²
 General population - Oral; Long term systemic effects: 0.35 mg/kg/day
 General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC

- Fresh water; 0.01 mg/l
 - Marine water; 0.008 mg/l
 - Intermittent release; 0.0025 mg/l
 - STP; 0.43 mg/l
 - Sediment (Freshwater); 0.041 mg/kg
 - Sediment (Marinewater); 0.00328 mg/kg
 - Soil; 0.5 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.

Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

5 L CATERERS KITCHEN LEMON FLOOR GEL

Environmental exposure controls Avoid releasing into the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

pH pH (concentrated solution): 6.5-8.5

Solubility(ies) Soluble in water.

Explosive under the influence of a flame Not considered to be explosive.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

General information This product has low toxicity.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.

5 L CATERERS KITCHEN LEMON FLOOR GEL

Eye contact Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

5 L CATERERS KITCHEN LEMON FLOOR GEL

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Commission Regulation (EU) No 453/2010 of 20 May 2010.</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p> <p>Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.</p> <p>Commission Regulation (EU) No 2015/830 of 28 May 2015.</p>
Guidance	<p>Workplace Exposure Limits EH40.</p> <p>ECHA Guidance on the Application of the CLP Criteria.</p> <p>ECHA Guidance on the compilation of safety data sheets.</p> <p>COSHH Essentials.</p> <p>Technical Guidance WM2: Hazardous Waste.</p>

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>DNEL: Derived No Effect Level.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</p>
Revision comments	New revision number applied to comply with 'Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	25/05/2017

5 L CATERERS KITCHEN LEMON FLOOR GEL

Revision	3
Supersedes date	02/03/2016
SDS number	20658
Risk phrases in full	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R36 Irritating to eyes. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.