

**SAFETY DATA SHEET**  
**5 L CATERERS KITCHEN LEMON FLOOR GEL**  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** 5 L CATERERS KITCHEN LEMON FLOOR GEL  
**Product number** 800-262-5014  
**Container size** 5L

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Detergent.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Produced in the UK for Independent Food Services Ltd,  
 Doncaster  
 DN4 5RA  
 www.unnitaswholesale.co.uk  
 01302249909  
 team@mngp.co.uk

**Contact person** team@mngp.co.uk

**1.4. Emergency telephone number**

**National emergency telephone number** In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** NC

**2.2. Label elements**

**Hazard statements** NC Not Classified

**Precautionary statements** P102 Keep out of reach of children.  
 P262 Do not get in eyes, on skin, or on clothing.  
 P264 Wash contaminated skin thoroughly after handling.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.  
 P501 Dispose of contents/ container in accordance with local regulations.

**Detergent labelling** 5 - < 15% anionic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>C12-14-ALKYL ETHER SULFATES</b>	<b>5-10%</b>
CAS number: 68891-38-3	EC number: 500-234-8
	REACH registration number: 01-2119488639-16-XXXX

#### Classification

Skin Irrit. 2 - H315  
 Eye Dam. 1 - H318  
 Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

**Personal precautions** For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

### 6.2. Environmental precautions

**Environmental precautions** Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid contact with skin and eyes.

**Advice on general occupational hygiene** No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

**DNEL**

Workers - Inhalation; Long term systemic effects: 175 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day  
 Consumer - Inhalation; Long term systemic effects: 52 mg/m<sup>3</sup>  
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day  
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

**PNEC**

- Fresh water; 0.24 mg/l  
 - marine water; 0.024 mg/l  
 - Intermittent release; 0.071 mg/l  
 - Sediment, Fresh water; 0.917 mg/kg  
 - Sediment, marine water; 0.092 mg/kg  
 - Soil; 7.5 mg/kg  
 - STP; 10,000 mg/l

#### BRONOPOL (INN) (CAS: 52-51-7)

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

### DNEL

Workers - Inhalation; Long term systemic effects: 4.1 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term systemic effects: 12.3 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term local effects: 4.2 mg/m<sup>3</sup>  
 Workers - Inhalation; Short term local effects: 4.2 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day  
 Workers - Dermal; Short term systemic effects: 7 mg/kg/day  
 Workers - Dermal; Long term local effects: 0.013 mg/cm<sup>2</sup>  
 Workers - Dermal; Short term local effects: 0.013 mg/cm<sup>2</sup>  
 General population - Inhalation; Long term systemic effects: 1.2 mg/m<sup>3</sup>  
 General population - Inhalation; Short term systemic effects: 3.7 mg/m<sup>3</sup>  
 General population - Inhalation; Long term local effects: 1.3 mg/m<sup>3</sup>  
 General population - Inhalation; Short term local effects: 1.3 mg/m<sup>3</sup>  
 General population - Dermal; Long term systemic effects: 1.4 mg/kg/day  
 General population - Dermal; Short term systemic effects: 4.2 mg/kg/day  
 General population - Dermal; Long term local effects: 0.008 mg/cm<sup>2</sup>  
 General population - Dermal; Short term local effects: 0.008 mg/cm<sup>2</sup>  
 General population - Oral; Long term systemic effects: 0.35 mg/kg/day  
 General population - Oral; Short term systemic effects: 1.1 mg/kg/day

### PNEC

- Fresh water; 0.01 mg/l  
 - marine water; 0.008 mg/l  
 - Intermittent release; 0.0025 mg/l  
 - STP; 0.43 mg/l  
 - Sediment (Freshwater); 0.041 mg/kg  
 - Sediment (Marinewater); 0.00328 mg/kg  
 - Soil; 0.5 mg/kg

## 8.2. Exposure controls

### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation.

#### Eye/face protection

No specific eye protection required during normal use.

#### Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

#### Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

#### Respiratory protection

Respiratory protection not required.

#### Environmental exposure controls

Avoid releasing into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Liquid.

#### Colour

Yellow.

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

<b>Odour</b>	Lemon.
<b>pH</b>	pH (concentrated solution): 6.5-8.5
<b>Initial boiling point and range</b>	Not available.
<b>Flash point</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.020-1.040 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	800-1500 cP @ 20°C
<b>Explosive properties</b>	There are no chemical groups present in the product that are associated with explosive properties.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.

### 9.2. Other information

**Other information** Not relevant.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not applicable.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

#### **General information**

This product has low toxicity.

#### **Inhalation**

No specific health hazards known.

#### **Ingestion**

May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

#### **Skin contact**

Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.

#### **Eye contact**

May cause temporary eye irritation.

#### Toxicological information on ingredients.

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

### C12-14-ALKYL ETHER SULFATES

#### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 4,100.0

Species Rat

ATE oral (mg/kg) 4,100.0

#### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

### SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

#### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

#### Ecological information on ingredients.

### C12-14-ALKYL ETHER SULFATES

#### Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)  
REACH dossier information.

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hours: 7.2 mg/l, Daphnia magna  
REACH dossier information.

#### Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)  
REACH dossier information.

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.27 mg/l, Daphnia magna  
REACH dossier information.

#### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

#### Ecological information on ingredients.

### C12-14-ALKYL ETHER SULFATES

**Biodegradation** Expected to be readily biodegradable.  
Water - Degradation 100%: 28 days  
REACH dossier information.

#### 12.3. Bioaccumulative potential

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

### Ecological information on ingredients.

#### C12-14-ALKYL ETHER SULFATES

**Bioaccumulative potential** The product is not bioaccumulating.

**Partition coefficient** log Pow: ~ 0.3 REACH dossier information.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### Ecological information on ingredients.

#### C12-14-ALKYL ETHER SULFATES

**Mobility** The product is soluble in water.

**Adsorption/desorption coefficient** - Log Koc: 0.34 @ °F

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### Ecological information on ingredients.

#### C12-14-ALKYL ETHER SULFATES

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible.

**Disposal methods** The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Refer to manufacturer/supplier for information on recovery/recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)



## 5 L CATERERS KITCHEN LEMON FLOOR GEL

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
<b>Guidance</b>	Workplace Exposure Limits EH40. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

### 15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

## SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
<b>Revision comments</b>	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	25/05/2017
<b>Revision</b>	3

## 5 L CATERERS KITCHEN LEMON FLOOR GEL

<b>Supersedes date</b>	02/03/2016
<b>SDS number</b>	20658
<b>Risk phrases in full</b>	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R36 Irritating to eyes. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
<b>Hazard statements in full</b>	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.